




# Product Data

## ZONEKIT2ZCAR

### WeatherMaker Two-Zone



WeatherMaker Two-Zone is a residential 2-zone system. The WeatherMaker Two-Zone kit includes the 2-zone center and duct temperature sensor. Thermostats and dampers are not included in the kit. A variety of non-programmable and programmable thermostats are available to satisfy the homeowner's personalized comfort needs.

#### Features/Benefits

**Eliminates hot and cold spots.** Every home has distinct areas or zones that can be individually controlled. For example, upstairs/downstairs in a 2 story house and living/sleeping areas in a ranch style home.

**Duct Temperature Optimizer—**Offers maximum equipment protection to help ensure long life.

**Programmable/Non-Programmable Thermostat Compatibility—**Matches the right thermostat to the homeowner's comfort and lifestyle.


**Diagnostic LEDs—**Intelligent system diagnostics to let homeowners know if there is a problem with their system.

**Emergency Heat Switch—**Allows manual override for emergency heat strip operation when utilizing a heat pump.

**Maximum Cycle Rate—**Allows 4 equipment cycles per hour (cph) providing maximum equipment protection.

**Selection Jumpers—**Designed for easy configuration.

# Dimensions



A95244

# Electrical data

MODEL	ZONEKIT2ZCAR
POWER SUPPLY	24vac, 40-wa, 60 hz isolated transformer field supplied. Add 5-wa for each additional damper over 2.

# Accessories


ORDERING NUMBER	DESCRIPTION
DAMPRND06INC	Round Damper — 6 in.
DAMPRND08INC	8 in.
DAMPRND10INC	10 in.
DAMPRND12INC	12 in.
DAMPRND14INC	14 in.
DAMPRND16INC	16 in.
DAMPREC08x10	Rectangular Damper — 8 in. x 10 in.
DAMPREC08x14	8 in. x 14 in.
DAMPREC08x18	8 in. x 18 in.
DAMPREC08x24	8 in. x 24 in.
DAMPREC10x10	10 in. x 10 in.
DAMPREC10x14	10 in. x 14 in.
DAMPREC10x18	10 in. x 18 in.
DAMPREC10x24	10 in. x 24 in.
DAMPBAR08x14	Barometric Bypass — 8 in. x 14 in.
DAMPBAR08x24	8 in. x 24 in.
ZONEMLTDMPEN	Multi-Damper Enabler
ZONEFUSEPACK	Multi-Damper Enabler Fuse Pack
DAMPACT90DEG	Replacement Zoning Damper Actuator (rectangular style)
DAMPACT45DEG	Replacement Zoning Damper Actuator (round style)
ZONEDUCTTSEN	Duct Temperature Sensor (DTS)
ZONEDUCTTSEN	Dx Coil Sensor (Same as DTS)
DAMPSLS08X10	Slip-in damper, side mount, 8 x 10
DAMPSLB08X10	bottom mount, 8 x 10
DAMPSLS08X12	side mount, 8 x 12
DAMPSLB08X12	bottom mount, 8 x 12
DAMPSLS08X14	side mount, 8 x 14
DAMPSLB08X14	bottom mount, 8 x 14
DAMPSLS08X16	side mount, 8 x 16
DAMPSLB08X16	bottom mount, 8 x 16
DAMPSLS08X18	side mount, 8 x 18
DAMPSLB08X18	bottom mount, 8 x 18
DAMPSLB08X20	bottom mount, 8 x 20
DAMPSLB08X22	bottom mount, 8 x 22
DAMPSLB08X24	bottom mount, 8 x 24
DAMPSLS10X10	side mount, 10 x 10
DAMPSLB10X10	bottom mount, 10 x 10
DAMPSLS10X12	side mount, 10 x 12
DAMPSLB10X12	bottom mount, 10 x 12
DAMPSLS10X14	side mount, 10 x 14
DAMPSLB10X14	bottom mount, 10 x 14
DAMPSLS10X16	side mount, 10 x 16
DAMPSLB10X16	bottom mount, 10 x 16
DAMPSLS10X18	side mount, 10 x 18
DAMPSLB10X18	bottom mount, 10 x 18
DAMPSLB10X20	bottom mount, 10 x 20
DAMPSLB10X22	bottom mount, 10 x 22
DAMPSLB10X24	bottom mount, 10 x 24
DAMPSLB14X20	bottom mount, 14 x 20

# Thermostats

ORDERING NUMBER	DESCRIPTION
TSTATCCNAC01	Thermostat, Auto Changeover, Non-Programmable, °F/°C, 1-Stage Heat, 1-Stage Cool
TSTATCCPAC01-A	Thermostat, Auto Changeover, 7-Day Programmable, °F/°C, 1-Stage Heat, 1-Stage Cool
HH07AT213	Thermostat, Manual Changeover, Non-Programmable, °F, 1-Stage Heat, 1-Stage Cool
TSTATCCNHP01*	Thermostat, Auto Changeover, Non-Programmable, °F/°C, 2-Stage Heat, 1-Stage Cool
TSTATCCPHP01-A*	Thermostat, Auto Changeover, 7-Day Programmable, °F/°C, 2-Stage Heat, 1-Stage Cool
TSTATCCP2S01-A*	Thermostat, Auto Changeover, 7-Day Programmable, °F/°C, 2-Stage Heat/2-Stage Cool in AC mode, 3-Stage Heat/2-Stage Cool in HP mode
TSTATCCN2S01*	Thermostat, Auto Changeover, Non-Programmable, °F/°C, 2-Stage Heat/2-Stage Cool in AC mode, 3-Stage Heat/2-Stage Cool in HP mode

\* Special thermostat set-up is required when operating with zone control board.

# Typical zoning system



A93434



Manufacturer reserves the right to discontinue, or change at any time, specifications or designs without notice and without incurring obligations.

Book	1	1	1	4	4	4
Tab	3a	5	6	2a	5a	8a